

COVINGTON & BURLING
1201 PENNSYLVANIA AVENUE, N.W.
P.O. BOX 7588
WASHINGTON, D.C. 20044
(202) 662-6000

JOHN P. RUPP
DIRECT DIAL NUMBER
(202) 662-6000
(202) 770-8888 (FAX)

FAX: (202) 662-9291
TELEX: 88-598 (COVLING WSH)
CABLE: COVLING

LEGONFIELD HOUSE
BURTON STREET
LONDON W1V 8AE ENGLAND
TELEPHONE 44-71-483-5806
FAX 44-71-483-5101

BRUSSELS CORRESPONDENT OFFICE
44 AVENUE DES ARTS
BRUSSELS 1040 BELGIUM
TELEPHONE 32-2-412-0000
FAX 32-2-908-1500

August 8, 1994

Dr. Richard Carchman
Philip Morris U.S.A.
P. O. Box 26583
Richmond, Virginia 26583

Dear Richard:

Drs. LeVois and Layard intend to submit the attached paper to JAMA sometime this week. Dr. LeVois also plans to append it to his OSHA comments.

You will note that Philip Morris U.S.A. is listed on page 2 of the attached draft as having provided support for the analysis described in the paper. That is, I hope, in accord with our discussion last week.

Best wishes.

Sincerely,



John P. Rupp

Attachment

2029165290